

# MK-35GD Two-section Glass Door Cooler



MK-35GD  
Two-section  
Glass Door Cooler

- 35 cubic foot capacity.
  - Performance designed, factory balanced refrigeration system holds 33°F to 38°F.
  - Exterior – non-peel or chip white vinyl laminated metal is durable and permanent.
  - Interior – durable and attractive, NSF approved, white high impact polystyrene plastic liner.
  - Positive seal, magnetic door gaskets.
  - “Low-E”, double pane thermal glass door assembly with extruded frame. The latest in energy efficient technology.
  - Energy efficient interior LED lighting system.
  - Entire cabinet structure is foamed-in-place using high density, CFC-free polyurethane insulation.
- Bottom mounted units feature:
- “No-stoop” lower shelf to maximize product visibility.
  - Easily accessible condenser coil for cleaning. Condenser coil designed for low maintenance.



ISO 9001:2000  
Quality System  
Certified

# MK-35GD Two-section Glass Door Cooler

## Specifications

Model	Doors	Capacity (Cu. Ft.)	Shelves	Cabinet Size (inches)			HP	Volts	Amps	NEMA Config.	Cord Length (total ft.)	Crated Weight** (lbs.)
				W	D†	H*						
MK-35GD	2	35	10	39.4	26.0	82.0	3/8	115/60/1	7.6	5-15P	9	363

\*Depth does not include 1.75" for door handle or grill. †Includes 3.00" legs. \*\*Inventoried and factory shipped on standard pallet of 2.

Project Name: \_\_\_\_\_  
 Location: \_\_\_\_\_  
 Item No.: \_\_\_\_\_ Qty: \_\_\_\_\_  
 Model No.: \_\_\_\_\_

## Standard Features

### Design:

Koolaire has found the perfect balance between dependability, functionality, and affordability. Our high-quality components ensure that temperatures remain consistent; keeping products fresh and utility costs low. The glass doors and illuminated cabinet provide high visibility so that products inside get noticed.

### Refrigeration System:

- Factory engineered self-contained, capillary tube system using environmentally friendly (CFC-free) 134A refrigerant.
- Extra large evaporator coil balanced with higher horsepower compressor and large condenser; maintains cabinet temperatures of 33°F to 38°F.
- Sealed, self-lubricating evaporator fan motors and large fan blades give Koolaire merchandisers a more efficient low velocity, high volume airflow design. This unique design assures faster temperature pull down of warm product, colder holding temperatures, and faster recovery in high use situations.
- Bottom mounted condensing unit positioned for easy maintenance. "No-stoop" lower shelf maximizes visibility by raising merchandised product to a higher level.
- Automatic hot gas evaporator water removal system.

### Cabinet Construction:

- Exterior – non-peel or chip white laminated vinyl; durable and permanent.
- Interior – durable and attractive, NSF approved, white high impact polystyrene plastic liner.
- Insulation – entire cabinet structure is foamed-in-place using high density, CFC-free polyurethane insulation.
- Cabinet supplied with 3" legs.

### Doors:

- "Low-E", double pane thermal glass door assemblies with extruded frames. The latest in energy efficient technology.
- Each door fitted with ergonomically designed molded door handle.
- Magnetic door gaskets of one piece construction are removable without tools for ease of cleaning.

### Shelving:

- Ten adjustable heavy duty PVC coated wire shelves, 16.94" W X 19.68" D
- Shelves are adjustable on 1.19" increments.

### Lighting:


- Safety shielded innovative LED interior lighting design.

### Warranty:

One-year warranty on all parts and labor and an additional 4-year warranty on compressor. (U.S.A./Canada only).



UL listed to NSF-7 for the storage and/or display of packaged or bottled product.



MK-35GD

### Electric:

Unit completely pre-wired at factory and ready for final connection to a 115/60/1 phase – 15 amp dedicated outlet. Cord and plug set included.



©2006 Manitowoc 1006 Continuing product improvement may necessitate change of specifications without notice. 3724A



MANITOWOC REFRIGERATION  
 81 West Holly Street, P.O. Box 670  
 Parsons, TN 38363, USA  
 Ph: 888-732-2446 • Fax: 901-847-5552  
 Visit us online at [www.manitowocrefrigeration.com](http://www.manitowocrefrigeration.com)

